


Product Features

- 4 cooking zones including;
1 Multi-Flex zone + 1 Flex Plus zone
- 14 power settings + Boost
- Teppanyaki mode: *Low, Medium, High*
- Keep Warm + Pause settings
- Schott ceramic glass surface
- Premium bevelled front edge
- Slide touch controls
- Touch on / off key
- 10 hour timer
- Child lock
- Pan sensors
- Overflow protection
- Hot surface indicators
- Optional teppanyaki plate



MULTI-FLEX

Bridge together multiple zones to suit various sizes and shapes of cookware.




KEEP WARM

Keep food warm until ready to serve - great when preparing multiple meals.



PAUSE & PLAY

Easily pause and resume cooking with the touch of a button.



| | L(mm) | W(mm) | H(mm) | D(mm) | A(mm) | B(mm) | X(mm) |
|-------|-------|-------|-------|-------|-------|-------|-------|
| IMZ64 | 590 | 520 | 58 | 54 | 565 | 495 | 50 |

IMZ64

Cooktop Features

| | |
|-------------------------|--------------------------------|
| Cooking Zones | 4 |
| Flexi Zones | 2 |
| Power Levels | 914 |
| Boost | Yes - 4 zones |
| Teppanyaki Zones | 1 |
| Teppanyaki Power Levels | 3 |
| Keep Warm | Yes |
| Pause / Recall | Yes |
| Cooking Surface | Schott ceramic glass |
| Bevelled Front Edge | Yes |
| Controls | Touch control (one touch wake) |
| Cooking Timer | 10 hours |

Safety Features

| | |
|-----------------------------|-----|
| On / Off Key | Yes |
| Hot Surface Indicator | Yes |
| Automatic Safety Switch-Off | Yes |
| Child Safety Lock | Yes |

Cooking Zones

| | Diameter | Output |
|-------------|-------------|-------------------|
| Front Left | 220 x 200mm | 2.0/3.0kW (Boost) |
| Front Right | 280 x 200mm | 2.0/3.0kW (Boost) |
| Rear Left | 220 x 200mm | 2.0/3.0kW (Boost) |
| Rear Right | 280 x 200mm | 2.0/3.0kW (Boost) |

Flexi Cooking Zones

| | | |
|------------------|-------------|-------------------|
| Flexi Zone Left | 400 x 200mm | 3.0/3.6kW (Boost) |
| Flexi Zone Right | 400 x 280mm | 3.0/4.0kW (Boost) |

Total power (kW)

7.2

Installation

| | |
|----------------------|-----------------------|
| Rated Voltage | 220-240V / 50 or 60Hz |
| Installed Power (kW) | 7.2 |
| Installation Type | Top mounted |

Dimensions (Packed)

| | |
|-----------------------------|-----------------|
| Width x Height x Depth (mm) | 675 x 135 x 620 |
| Gross Weight (kg) | 13.9 |

Dimensions (Product)

| | |
|-----------------------------|----------------|
| Width x Height x Depth (mm) | 590 x 58 x 520 |
| Net Weight (kg) | 11.6 |

Dimensions (Cut-Out)

| | |
|-----------------------------|-----------------------|
| Width x Height x Depth (mm) | 560 x 58 (min.) x 490 |
|-----------------------------|-----------------------|